

KARONDA



GAMING BEAST

WITH PROFESSIONAL EFFICIENCY



SCAN THE QR CODE FOR DETAILS



WAXJAMBU | GL714HX

Intel® 14th Generation Processor



- Display Size: 16" WQXGA 240Hz sRGB100%
- Processor: Intel® Core™ i7-14650HX
- Graphics: NVIDIA® GeForce RTX™ 4060 8GB GDDR6 VRAM
- RAM: 16GB DDR5 5600MHz
- Storage: 1TB NVMe M.2 2280 SSD
- Communication: Wi-Fi 6E + BT 5.3
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 60WH
- Color: Black

KARONDA | GX713H

Intel® 13th Generation Processor



- Display Size: 15.3" WQXGA 120Hz sRGB100%
- Processor: Intel® Core™ i7-13620H
- Graphics: NVIDIA® GeForce RTX™ 4050 6GB GDDR6 VRAM
- RAM: 16GB DDR5 5600MHz
- Storage: 1TB NVMe M.2 2280 SSD
- Communication: Wi-Fi 6E + BT 5.3
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 60WH
- Color: Black

PASSION | BX513U PRO

Intel® 13th Generation Processor



- Display Size: 16.0" (40.64 cm) QHD (2560x1600) Display
- Processor: Intel® Core™ i5-1335U
- Graphics: Iris® Xe Graphics
- RAM: 16GB LPDDR4 3200MHz
- Storage: 512GB NVMe M.2 2280 SSD
- Communication: Wi-Fi 6 + BT 5.1
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 75 WH
- Color: Silver

TAMARIND | EX514H

Intel® 14th Generation Processor



- Display Size: 14" WQXGA 120Hz sRGB100%
- Processor: Intel® Ultra 5-125H
- Graphics: Intel® Arc™ Graphics
- RAM: 16GB DDR5 5600MHz
- Storage: 1TB NVMe M.2 2280 SSD
- Communication: Wi-Fi 6E + BT 5.2
- Camera: Win Hello 4.0 Webcam FHD+ IR Dual-Sensor
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 60 WH
- Color: Silver

TAMARIND

MX11 SERIES

Intel® 11th Generation Processor



- Display Size: 14.0" (35.56cm) FHD (1920x1080) IPS Matte LED Backlit Display with 100% sRGB
- Processor: Intel® Core™ i3-1115G4, Intel® Core™ i5-11300H, Intel® Core™ i7-11370H
- Graphics: Intel® UHD Graphics for i3 & Intel® Iris® Xe Graphics for i5, i7
- RAM: 8GB DDR4 3200MHz
- Storage: 512GB NVMe M.2 2280 SSD
- Communication: Wi-Fi 6.0 + BT 5.2
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 49WH
- Color: Sky Blue, Dark Blue

EX10 PRO SERIES

Intel® 10th Generation Processor



- Display Size: 14.0" (35.56cm) HD (1366x768) / FHD (1920x1080) Matte LED Backlit Display with 45% NTSC.
- Processor: Intel® Core™ i3-10110U, Intel® Core™ i5-10210U, Intel® Core™ i7-10510U
- Graphics: Intel® UHD Graphics
- RAM: 4GB/ 8GB DDR4 2666MHz
- Storage: 256/512GB SATAIII M.2 2280 SSD
- Communication: Wi-Fi 5.0 + BT 5.1
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 36WH/49WH
- Color: Black

EX11 PRO SERIES

Intel® 11th Generation Processor



- Display Size: 14.0" (35.56cm) FHD (1920x1080) Matte LED Backlit Display with 45% NTSC
- Processor: Intel® Core™ i3-1115G4, Intel® Core™ i5-1135G7, Intel® Core™ i7-1165G7
- Graphics: Intel® UHD Graphics for i3 & Intel® Iris® Xe Graphics for i5, i7
- RAM: 8GB DDR4 3200MHz
- Storage: 512GB NVMe SSD
- Communication: Wi-Fi 5.0 + BT 5.1
- Operating System: Windows® 11
- Battery: Embedded 4 cells Smart Lithium-Ion Battery pack, 49WH
- Color: Black

Corporate Office:

5th Avenue, Block: I, Bashundhara R/A, Vatara, Dhaka-1229, Bangladesh
 Tel: +8809606555555, Mob: +8801678860002,
 e-mail: digitech@waltonbd.com
 Web: www.waltondigitech.com



TAMARIND

BUILT FOR BRILLIANCE

MAKING EVERY MOMENT COUNT



Experience the Intel Advantage with LATEST GEN SPEED



WAXJAMBU



WINNER'S CHOICE



SCAN THE QR CODE FOR DETAILS

PASSION

The Perfect Combination of
STYLE & SPEED



PASSION



BX311G PRO

Intel® 11th Generation Processor

- Display Size: 15.6" (39.62cm) FHD (1920x1080) Matte LED Backlit Display with 45% NTSC
- Processor: Intel® Core™ i3-1115G4
- Graphics: Intel® UHD Graphics
- RAM: 8GB 3200MHz DDR4 RAM
- Storage: 512GB NVMe M.2 2280 SSD
- Communication: Wi-Fi 5.0 (802.11ac) + BT 5.0
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 36W
- Color: Gray



BX10 PRO SERIES

Intel® 10th Generation Processor

- Display Size: 15.6" (39.62cm) FHD (1920x1080) Matte LED Backlit Display with 45% NTSC
- Processor: Intel® Core™ i3-10110U, Intel® Core™ i5-10210U, Intel® Core™ i7-10510U
- Graphics: Intel® UHD Graphics
- RAM: 8GB DDR4 2666MHz
- Storage: 512GB SATAIII M.2 2280 SSD
- Communication: Wi-Fi 5.0 (802.11ac) + BT 5.0
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 36W
- Color: Gray

prelude



N50 PRO

Intel® Pentium® Silver Quad-Core

- Display Size: 14.0" (35.56cm) FHD (1920x1080) Matte LED Backlit Display with 45% NTSC
- Processor: Intel® Pentium® Silver N5030
- Graphics: Intel® UHD Graphics 605
- RAM: 8GB DDR4 2666MHz
- Storage: 256GB SATAIII M.2 2280 SSD
- Communication: Wi-Fi 5.0 (802.11ac) + BT 5.1
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 36W
- Color: Black



N41 PRO

Intel® Celeron Quad-Core

- Display Size: 14.0" (35.56cm) FHD (1920x1080) Matte LED Backlit Display with 45% NTSC
- Processor: Intel® Celeron® N4120
- Graphics: Intel® UHD Graphics 600
- RAM: 8GB DDR4 2666 MHz
- Storage: 256GB SATAIII M.2 2280 SSD
- Communication: Wi-Fi 5.0 (802.11ac) + BT 5.1
- Operating System: Windows® 11
- Battery: Embedded Polymer Smart Lithium-Ion Battery Pack, 36W
- Color: Black

prelude

SMALL SIZE
BIG
PRODUCTIVITY





Kaiman KW04 Full Tower Casing

- Intel® Core™ i7-14700K
- Intel® Z690
- Nvidia GeForce RTX™ 3070 Ti 8G OC
- 32GB/64GB DDR4 3200MHz RAM (4 RAM Slots)
- 512GB M.2 SSD with 1TB/2TB SATA HDD
- GbE LAN Chip, Wi-Fi 6E, Bluetooth 5.3
- 1050W 80+ Platinum PSU



Kaiman KG03 Mid Tower Casing

- Intel® Core™ i7-10700
- Intel® B560 Chipset
- Intel® UHD Graphics 630/
NVIDIA GeForce® RTX 3050 8G OC
- 32GB/16GB DDR4 2666MHz RAM
- 256GB M.2 SSD with 1TB SATA HDD
- GbE LAN Chip, Wi-Fi 5, BT 4.2
- 450W / 550W 80+ Bronze PSU



Kaiman KG01 Mid Tower Casing

- Intel® Core™ i5-13500
- Intel® Q670 Chipset
- Intel® UHD 770 Graphics
- 8GB DDR5 4800MHz RAM
- 512GB M.2 SSD
- 350W 80+ Bronze PSU



Kaiman IAR30I Full Tower Casing

- Intel® Core™ i7-10700
- Intel® B560 Chipset
- Intel® UHD Graphics 630
- 8GB DDR4 3200MHz RGB RAM
- 256GB M.2 SSD with 1TB HDD
- GbE LAN Chip
- 550W 80+ Bronze PSU



Kaiman KW01 Full Tower Casing

- Intel® Core™ i9-13900 / 14900
- Intel® Z790/B760 Chipset
- Nvidia GeForce RTX™ 3070Ti/4080
- 64GB DDR5 5600MHz RAM
- 500GB/1TB with 4TB HDD
- GbE LAN Chip, Wi-Fi 6/6E, BT 5.2/5.3
- 1050W 80+ Platinum PSU



Kaiman KG02 Mid Tower Casing

- Intel® Core™ i5-12400
- Intel® B760 Chipset
- Intel® UHD 730 Graphics
- 8GB DDR4 3200MHz RGB RAM
- 512GB M.2 SSD with HDD
- 500W 80+ Bronze PSU



Kaiman KG05 Mid Tower Casing

- Intel® Core™ i7-12700
- Intel® B660
- Intel® UHD Graphics 770
- 16GB DDR4 3200MHz RAM
- 512GB M.2 SSD
- GbE LAN Chip, Wi-Fi 6, Bluetooth 5
- 550W 80+ Bronze PSU



Kaiman IMC40I Full Tower Casing

- Intel® Core™ i7-11700 / Intel® Core™ i9-10900KF
- Intel® B560 Chipset / Intel® Z590 Chipset
- Intel® UHD Graphics 750 /
Nvidia GeForce RTX™ 3070 GAMING OC 8G
- 8GB / 32GB DDR4 3200MHz RAM
- 256GB / 1TB M.2 SSD with 1TB / 2TB HDD
- GbE LAN Chip, Wi-Fi 6/5, BT 4.2/5.1
- 650W 80+ Bronze / 750W 80+ Gold PSU



Kaiman KG04 Full Tower Casing



- Intel® Core™ i7-12700
- Intel® B760 Chipset
- Intel® UHD 770 Graphics
- 8GB DDR4 3200MHz RAM
- 512GB M.2 SSD
- 500W 80+ Bronze PSU



Soon to come Mid Tower Casing

- Intel® Core™ i7-12700
- Intel® B760
- Intel® UHD Graphics 770
- 16GB DDR4 3200MHz RAM
- 512GB M.2 SSD
- GbE LAN Chip, Wi-Fi 6
- 550W 80+ Bronze PSU

Built for
**Performance &
Productivity**



Corporate Office:

5th Avenue, Block: I, Bashundhara R/A, Vatara,
Dhaka-1229, Bangladesh
Tel: +8809606555555, Mob: +8801678860002,
e-mail: digitech@waltonbd.com
Web: www.waltondigitech.com

WALTON
DIGITECH
INDUSTRIES LIMITED



intel.

WALTON
Computer

Created for
**Outstanding
Performance**

intel.

kaiman



AMD
RYZEN

WALTON
Computer

TAKE PERFORMANCE HIGHER
**WITH SUPERIOR
CONFIGURATION**



Avian AW01
Full Tower Casing

- Ryzen™ 9 5950X (Cores: 16; Threads: 32)
- X570 Chipset
- GeForce RTX™ 3080 Ti GAMING X TRIO 12G
- 64GB DDR4 3200MHz RAM
- 1TB M.2 NVMe SSD with 4TB HDD
- 2.5GbE LAN, Wi-Fi 6 with BT 5.2
- 1050W 80+ Platinum PSU



Avian AW02
Full Tower Casing

- Ryzen™ 3 4350G / Ryzen™ 5 5600G / Ryzen™ 7 5700G
- AMD B450/B450 Chipset
- AMD Radeon™ Graphics
- 8GB DDR4 3600MHz RAM
- 512GB SATA/NVMe SSD
- GbE LAN Chip
- 500W 80+ Bronze PSU



Avian ADC301
Full Tower Casing

- Ryzen 7 5700G / AMD Ryzen 5 5600G
- AMD B550 / A520 / X570 Chipset
- AMD Radeon™ RX Vega 7 / 8 Graphics
- 8GB / 16GB DDR4 3200MHz RGB RAM
- 256GB / 512GB M.2 SSD with 1TB / 2TB HDD
- GbE LAN Chip
- 550W / 650W 80+ Bronze PSU



Avian AG04
Full Tower Casing

- Ryzen 5 5600X / AMD Ryzen™ 7 5800x
- AMD B550 / X570 Chipset
- AMD Radeon™ RX 6400 Eagle 4G / GeForce RTX 3060 Gaming OC 12G
- 16GB / 32GB DDR4 3200MHz RAM
- 512GB / 1TB M.2 NVMe SSD
- GbE LAN/Wi-Fi 5/6, BT 4.2/5.1
- 750W 80+ Bronze/Gold or 850W 80+ Gold



Avian AG03
Mid Tower Casing

- Ryzen™ 3 4350G / Ryzen™ 5 4650G / Ryzen™ 7 4750G
- AMD B550 Chipset
- AMD Radeon™ Graphics
- 8GB DDR4 2666MHz RAM
- 512GB M.2 SSD
- GbE LAN Chip
- 350W / 450W / 550W 80+ Bronze PSU



Avian AG02
Full Tower Casing

- Ryzen™ 5 3600
- AMD B550 Chipset
- GeForce™ 1650 OC GDDR5 4GB Graphics
- 8GB DDR4 3200MHz RGB RAM
- 512GB M.2 NVMe SSD
- 500W 80+ Bronze PSU



Avian AG05
Full Tower Casing

- Ryzen™ 5 5600X
- AMD X570 Chipset
- GeForce RTX™ 3060 Gaming OC 12G Graphics
- 32GB DDR4 3200MHz RAM
- 1TB M.2 NVMe SSD
- 850W 80+ Gold PSU

Certified Performance
Engineered for Compliance

Engineered for Compliance, Walton Computer are meticulously crafted to meet and exceed regulatory standards. With CE, FCC Class B, and CE LVD certifications, our commitment to quality and safety is unwavering. Each component undergoes rigorous testing to ensure optimal performance and reliability, offering peace of mind to our customers. From design to production, we prioritize compliance to deliver desktop PCs that excel in both functionality and safety.

Green Packaging


Walton Computer uses 100% Green Packaging, recycled and renewable corrugated to save the future and nature.

Energy Efficient

Walton Computer models are engineered with power efficiency in mind, utilizing advanced technology to minimize energy consumption.



Where
Speed
Meets **Style**
The World's Most Powerful
Desktop Processor



CINEXA



Scan for Details

Model: WD238I11

- Display Size: 23.8" (60.45cm) FHD IPS LED Backlit Display
- Bezel Type: 3 Side Frameless
- Resolution: 1920x1080
- Brightness: 300 cd/m²
- Refresh Rate: 75Hz
- Viewing Angle: 178°/178° (Horizontal/Vertical)
- Color Gamut: NTSC 85%
- Connectivity Port: VGA, HDMI, DP 4*USB-A, USB-B, Audio Out
- Speaker: 3W x 2



Scan for Details

Model: WD238I12

- Display Size: 23.8" (60.45cm) FHD IPS LED Backlit Display
- Bezel Type: 3 Side Frameless
- Resolution: 1920x1080 Pixel
- Brightness: 300 cd/m²
- Refresh Rate: 75Hz
- Viewing Angle: 178°/178° (Horizontal/Vertical)
- Color Gamut: NTSC 85%
- Connectivity Port: HDMI, USB Type-C, 2*USB-A, Audio Out, DC In
- Speaker: 3W
- Wireless Mobile Charging



Scan for Details

Model: WD215I09

- Display: 21.45" (54.483 cm) FHD IPS LED Backlit Display
- Display Resolution: Full HD 1920x1080 Pixel
- Bezel Type: 3 Side Frameless, No Bezel
- Brightness: 300 cd/m²
- Color Gamut: NTSC 85%
- Refresh Rate: 75/100 Hz
- Connectivity Port: HDMI, DP, USB-C, VGA DC In & Audio Out
- Response Time: 5ms
- Tilt: -5° to 15°
- Audio Out: Yes
- Speaker: 2W*2




Scan for Details

Model: WD215I10

- Display: 21.45" (54.483 cm) FHD IPS LED Backlit Display
- Display Resolution: Full HD 1920x1080 Pixel
- Bezel Type: 3 Side Frameless, No Bezel
- Brightness: 300 cd/m²
- Color Gamut: NTSC 85%
- Refresh Rate: 75/100 Hz
- Connectivity Port: HDMI, VGA DC IN & Audio Out
- Response Time: 5ms
- Tilt: -5° to 15°
- Audio Out: Yes
- Speaker: 2W*2

CINED

SEE MORE SEE BETTER



WALTON
DIGITECH
INDUSTRIES LIMITED

 waltondigitech.com
waltonbd.com

CINED

WD27GI06 GAMING MONITOR

LET THE GAME BEGIN



FASTIPS

165 Hz
REFRESH RATE

1ms

NVIDIA
G-SYNC
Compatible

AMD
FreeSync
Supported

HDR
Supported



Scan for Details

Model: WD27GI06

- Display: 27" (68.58 cm) QHD IPS LED Backlit Display
- Display Resolution: QHD 2560x1440 Pixel
- Brightness: 350 cd/m²
- Color Gamut: NTSC 93%, Adobe RGB 95%
- Refresh Rate: 165Hz at DP & 144Hz at HDMI
- Connectivity Port: 2 x HDMI, 2 x DP Audio Out & DC In
- Functions: NVIDIA G-SYNC Compatible AMD FreeSync Supported HDR Supported
- Fast Response Time: 1 ms (OD)
- Speaker: 2W*2



Scan for Details

Model: WD27GI07

- Display: 27" (68.58 cm) QHD IPS LED Backlit Display
- Display Resolution: QHD 2560x1440 Pixel
- Brightness: 350 cd/m²
- Color Gamut: NTSC 93%, Adobe RGB 95%
- Refresh Rate: 165Hz at DP & 144Hz at HDMI
- Connectivity Port: 2 x HDMI, 2 x DP Audio Out & DC In
- Functions: NVIDIA G-SYNC Compatible AMD FreeSync Supported HDR Supported
- Fast Response Time: 1 ms (OD)
- Speaker: 2W*2



Scan for Details

Model: WD27UI08

- Display: 27" (68.58 cm) UHD IPS LED Backlit Display
- Bezel Type: 3 Side Frameless
- Resolution: 3840x2160 Pixel
- Brightness: 400 cd/m²
- Refresh Rate: 60Hz
- Viewing Angle: 178°/178° (Horizontal/Vertical)
- Color Gamut: DCI-P3 95%
- Response Time: 5ms (OD)
- Contrast Ratio: 1000:1
- Low Blue Light Technology
- Flicker Free Technology & HDR
- Connectivity Port: 2*HDMI, DP USB Type C, Audio Out, DC In
- Tilt: -5° to 15°



Scan for Details

Model: WD238V03

- Display Size: 23.8" (60.45 cm) FHD LED Backlit Display
- Panel Technology: IPS/VA
- Bezel Type: 3 Side Frameless
- Resolution: 1920x1080 Pixel
- Brightness: 250 cd/m² (VA Panel Version) 300 cd/m² (IPS Panel Version)
- Refresh Rate: 75 Hz
- Viewing Angle: 178°/178° (Horizontal/Vertical)
- Color Gamut: NTSC 85%
- Display Surface: Anti-Glare
- Connectivity: VGA, HDMI, Audio In, DC IN
- Speaker: 3W x 2

walpad 9G

Specification:

- CPU : MTK Helio G99 Processor
- Processor Frequency : 2.0 GHz
- Operating System : Android™ 14
- RAM : 4GB
- Storage : 128GB
- Display : 8.68" HD IPS (1340 x 800) 350 nits
- Camera : Rear Camera: 13MP + 5MP
Front Camera: 5MP
- Connectivity : Wi-Fi: 802.11a/b/g/n/ac (2.4GHz+5GHz)
Bluetooth: 5.2
- Battery : 5100 mAh Lithium-ion Battery



Inspire TABLET THAT CHANGES

WALTON
DIGITECH
INDUSTRIES LIMITED

Intelligence Inside Incredible Power Outside

Powered by MediaTek, Walpad delivers unparalleled performance and efficiency. Designed for seamless multitasking and smooth experiences, Walpad brings advanced technology to your fingertips. Equipped with a cutting-edge MediaTek processor, Walpad offers professional-grade imaging, multi-camera videography, immersive gaming, and advanced AI capabilities. Whether you're capturing moments, gaming non-stop, or simply getting work done, Walpad—with its ultra-efficient MediaTek chip—ensures top-tier performance, making it the perfect companion for every aspect of your digital life.

Inspiring
Innovation



Corporate Office:
5th Avenue, Block: I, Bashundhara R/A, Vatara, Dhaka-1229, Bangladesh
Tel: +8809606555555, Mob: +8801678860002
e-mail: digitech@waltonbd.com www.waltondigitech.com

walpad

IMAGINE MORE ACHIEVE MORE

Experience the Next-Gen Tablet



Tablets for Every Need
Innovate. Create. Succeed.

walpad 10H pro

Specification:

- CPU : MTK Helio G99 Processor
- Processor Frequency : 2.0 GHz
- Operating System : Android™ 13
- RAM : 8GB
- Storage : 128GB
- Display : 10.36" FHD IPS (2000 x 1200) 300 nits
- Camera : Rear Camera: 13MP with Auto Focus
Front Camera: 5MP
- Connectivity : Wi-Fi: 802.11a/b/g/n/ac (2.4GHz+5GHz)
Bluetooth: 5.2
- Battery : 6200 mAh Lithium-ion Battery

EMPOWER
YOUR
DIGITAL
Life



walpad 8G

Specification:

- CPU : Quad-Core/Octa-Core Processor
- Processor Frequency : 2.0 GHz
- Operating System : Android™ 11
- RAM : 4GB
- Storage : 64GB
- Display : 8" IPS (1280 x 800) 16M Color
- Camera : Rear Camera: 8MP
Front Camera: 2MP
- Connectivity : Wi-Fi: 802.11 a/b/g/n (2.4+5GHz)
Bluetooth: 5.0
- Battery : 5000 mAh Lithium-ion Battery

PLAY
WATCH
& ENJOY



walpad 10H pro max

Specification:

- CPU : MTK Helio G99 Processor
- Processor Frequency : 2.0 GHz
- Operating System : Android™ 14
- RAM : 8GB
- Storage : 128GB
- Display : 10.36" IPS FHD (1200 x 2000) Display
- Camera : Rear Camera: 13MP with Auto Focus
Front Camera: 8MP
- Connectivity : Wi-Fi: 802.11 a/b/g/n/ac (2.4G+5G)
Bluetooth: 5.2
- Battery : 8000mAh Lithium-ion Battery

IMAGINATION TO *Creation*



HIGH PERFORMANCE LASER PRINTER



OP401DW



■ OP401DW Print | Duplex | Mobile Printing

Printer Type: Single Function Monochrome Laser
 Print Speed: 40ppm(A4)/42ppm (Letter)
 First Page Out Time: Less than 6.9 Secs
 Duty Cycle: Max. 100000 Pages
 Resolution: Up to 1200 x 1200 dpi
 Duplex Printing: Automatic
 Paper Tray: Standard 250 Pages, Multipurpose 60 Pages
 Output 150 Pages
 Processor Speed: 1.2 GHz
 Memory: 512 MB
 Interface: High-Speed USB 2.0, Wi-Fi, Ethernet

40/42
40ppm(A4)
42ppm(Letter)

2
Automatic
Duplex Printing

Mobile
Printing

1.2GHz
512MB
Memory

PMF22A



■ PMF22A Print | Copy | Scan-ADF | Network

Printer Type: Multi-Function Monochrome Laser
 Print/Copy Speed: 22ppm (A4) / 23ppm (Letter)
 First Page Out Time: Less than 7.8 Secs
 Duty Cycle: Max. 20000 Pages
 Resolution: Up to 1200 x 1200 dpi
 Scanner Type: Flatbed/ADF, CIS
 Max. Scan Size: 216 x 297mm (Flatbed), 216 x 356mm (ADF)
 Paper Tray: Input 150 Sheet and Output 100 Sheet
 Processor Speed: 600 MHz
 Memory: 128 MB
 Interface: High-Speed USB 2.0, Wi-Fi, Ethernet

High Page
Yield

Wireless
Printing

Fast Print
Speed

One Click
Installation

printon
LASER MONOCHROME PRINTER

Continuous
**COPY AND
SCANNING**
For Greater Efficiency



Please scan
for details



**WALTON
DIGITECH**
INDUSTRIES LIMITED



**YOUR EFFICIENT
WORKING ASSISTANT**



**BEST PRINT QUALITY
AT SURPRISINGLY FAST SPEED**

printon
LASER MONOCHROME PRINTER



■ **OT4401**
Laser Printer Cartridge

Printing Color: Black
Yield: 3000 pages
Compatible Printer: OP401DW



■ **OD4401**
Laser Printer Drum Unit

Printing Color: Black
Yield: 30000 pages
Compatible Printer: OP401DW



■ **TNR16**
Laser Printer Cartridge

Printing Color: Black
Yield: 1.600 pages
Refillable (Up to 5 times)
Compatible Printer: PS22, PMF22A



■ **RFK16**
Toner Refill Kit

Printing Color: Black
Yield: 1600 Pages
Refill Kit for: TNR16

PMF22




■ **PMF22**
Print | Copy | Scan | Network

Printer Type: Multi-Function Monochrome Laser
Print/Copy speed: 22ppm (A4) / 23ppm (Letter)
First Page Out Time: Less than 7.8 Secs
Duty Cycle: Max. 20000 Pages
Resolution: Up to 1200 x 1200 dpi
Scanner Type: Flatbed, CIS
Max. Scan Size: 216x297 mm
Paper Tray: Input 150 Sheet and Output 100 Sheet
Processor Speed: 600 MHz
Memory: 128 MB
Interface: High-Speed USB 2.0, Wi-Fi, Ethernet



Print, Copy, Scan



22 ppm (A4)
23 ppm (Letter)



First Page Out
in Less Than 7.8s



Wifi, USB
Ethernet

PS22



■ **PS22**
Print | Wi-Fi

Printer Type: Single Function Monochrome Laser
Print Speed: 22ppm (A4) / 23ppm (Letter)
First Page Out Time: Less than 7.8 Secs
Duty Cycle: Max. 15000 Pages
Resolution: Up to 1200 x 1200 dpi
Duplex Printing: Manual
Paper Tray: Input 150 Sheet and Output 100 Sheet
Processor Speed: 600 MHz
Memory: 128 MB
Interface: High-Speed USB 2.0, Wi-Fi



15000 Pages
Duty Cycle



22 ppm (A4)
23 ppm (Letter)



First Page Out
in Less Than 7.8s



Wifi, USB



FORTIFY YOUR SECURITY

with Our Diverse Range of CCTV Cameras

CENTRAL MONITORING

MOTION DETECTION

REMOTE PLAYBACK

NETWORK SURVEILLANCE



■ WI21DP Type: Dome

- 2MP HD Dome Network Camera
- 1/2.9" Progressive Scan CMOS Sensor
- H.264/H.265/JPEG/AVI/MJPEG Compression Method
- 3.6mm/ 2.8mm Fixed Lens
- IR Distance 20m Max.
- IP67 Outdoor Metal Case

■ WN94K1 | WN164K1 Type: NVR

- 9CH NVR/ 16CH NVR
- Third-Party Network Cameras Supported
- Up to 8MP Resolution Recording and Playback
- HD and VGA Output, HD Port up to 4K (3840x2160)
- Support H.265+/H.265/H.264+/H.264 Video Format
- Support 1 SATA up to 8TB Capacity



■ WI22DP Type: Dome

- 2MP HD Dome Network Camera
- 1/2.9" Progressive Scan CMOS Sensor
- H.264/H.265/JPEG/AVI/MJPEG Compression Method
- 2.8mm Fixed Lens
- IR Distance 20m Max.



■ WI22BP Type: Bullet

- 2MP HD Bullet Network Camera
- 1/2.9" Progressive Scan CMOS Sensor
- H.264/H.265/JPEG/AVI/MJPEG Compression Method
- 3.6mm Fixed Lens
- IR Distance 25m Max.
- IP67 Outdoor, Plastic Case



■ WI21BP Type: Bullet

- 2MP HD Bullet Network Camera
- 1/2.9" Progressive Scan CMOS Sensor
- H.264/H.265/JPEG/AVI/MJPEG Compression Method
- 3.6mm/ 2.8mm Fixed Lens
- IR Distance 20m Max.
- IP67 Outdoor Metal Case

■ WN1652 Type: NVR

- 16CH NVR
- Third-party Network Cameras Supported
- Up to 5MP Resolution Recording and Playback
- HD and VGA Output, HD Port up to 2K (2560x1440)
- Support H.265+/H.265/H.264+/H.264 Video Format
- Support 1 SATA up to 10TB Capacity




■ WN324K1 Type: NVR

- 32CH NVR
- Third-party Network Cameras Supported
- Up to 8MP Resolution Recording and Playback
- HD and VGA Output, HD Port up to 4K (3840x2160)
- Support H.265+/H.265/H.264+/H.264 Video Format
- Support 2 SATA up to 10TB Capacity



PINVIEW



IN PURSUIT OF A

SAFER SOCIETY & SMARTER LIVING

Secure your properties & organizations with PINVIEW CCTV systems.



WALTON DIGITECH
INDUSTRIES LIMITED

waltondigitech.com
waltonbd.com

WIFI PT CAMERA

ANYTIME ANYWHERE



■ W211 Type: WiFi IP Camera

- One Button Call
- Auto Tracking
- Intelligent Motion/Sound Detection
- Motion Zone Selection
- Two Way Audio (Half Duplex)
- Night Visibility up to 10m
- Support WebRTC



■ W210 Type: WiFi IP Camera

- Color Night Vision
- Auto Tracking
- Motion Zone Selection
- Two Way Audio (Half Duplex)
- Night Visibility up to 10m
- Support Webrtc

HD SURVEILLANCE



■ WH22D Type: Dome

- 2MP AHD Dome Camera
- 1/3" CMOS Sensor
- AHD/CVI/TVI/CVBS 4 IN 1
- 2.8mm Fixed Lens
- IR Distance 20m Max.



■ WH21B Type: Bullet

- 2MP AHD Bullet Camera
- 1/3" CMOS Sensor
- AHD/CVI/TVI/CVBS 4 IN 1
- 3.6mm/ 2.8mm Fixed Lens
- IR Distance 25m Max.
- IP67 Outdoor, OSD & UTC Support



■ WH5L1D Type: Dome

- 2M (Default)/5M Lite AHD Dome Camera
- 1/3" CMOS Sensor
- AHD/CVI/TVI/CVBS 4 IN 1
- 3.6mm/ 2.8mm Fixed Lens
- IR Distance 20m Max.
- IP67 Outdoor, OSD & UTC Support



■ WH22B Type: Bullet

- 2MP AHD Bullet Camera
- 1/3" CMOS Sensor
- AHD/CVI/TVI/CVBS 4 IN 1
- 3.6mm Fixed Lens
- IR Distance 25m Max.
- IP67 Outdoor, Plastic Case




■ WH21D Type: Dome

- 2MP AHD Dome Camera
- 1/3" CMOS Sensor
- AHD/CVI/TVI/CVBS 4 IN 1
- 3.6mm /2.8mm Fixed Lens
- IR Distance 20m Max.
- IP67 Outdoor, OSD & UTC Support




■ WX851/WX165L1 Type: XVR

- 8CH XVR/ 16CH XVR
- Support AHD/CVI/TVI/IP/Analog Camera Input
- Up to HD 5MP and IP 5MP Resolution Recording
- Support HD Output, VGA and CVBS Video Output
- Support Max. 8CH HD or 16CH IP Camera Input
- Support 1 SATA up to 8TB Capacity



Download "PINVIEW v1.0" app from your desired smartphone app platform and monitor from anywhere and wherever you want.



HYBRID SOLAR SYSTEM PACKAGE

Inverter & Battery

3KVA SOLAR HYBRID IPS ARC 3000-24

Solar Hybrid Inverter

Rated Power: 3200W
DC Input: 24VDC, 14.8A
AC Output: 230VAC, 50Hz, 13.9A, 1Φ
AC Input: 230VAC, 50Hz, 20.0A, 1Φ
DC Output: 27 VDC
Warranty: 18 months

Battery

Battery Model: ARC-12150, 2 pcs
Rated Capacity (25°C): 1hr, 95.6A, 1.60V/Cell
Cycle Use: Voltage 14.4V~15.0V at 25°C
Standby Use: Voltage 13.5V~13.8V at 25°C
Terminal: Silver Coated Copper, M8
Warranty: 12 months

Suitable for

Pump, Fridge, Lighting, TV, Ceiling Fan, Decoder, DVD, Wi-Fi, Cellphone & Laptop Charging, Desktop.

1.2KVA SOLAR HYBRID IPS ARC 1200-12

Solar Hybrid Inverter

Rated Power: 1200W
DC Input: 12VDC, 114.3A
AC Output: 230VAC, 50Hz, 5.2A, 1Φ
AC Input: 230VAC, 50Hz, 9.6A, 1Φ
DC Output: 13.5 VDC
Warranty: 18 months

Battery

Battery Model: ARC-12120, 1 pcs
Rated Capacity (25°C): 1hr, 75.0A, 1.60V/Cell
Cycle Use: Voltage 14.4V~15.0V at 25°C
Standby Use: Voltage 13.5V~13.8V at 25°C
Terminal: Silver Coated Copper, M8
Warranty: 12 months

Suitable for

Lighting, TV, Ceiling Fan, Decoder, DVD, Wi-Fi, Cellphone & Laptop Charging.

Long-Lasting
PERFORMANCE
Maintenance-Free Sealed Lead Acid Battery



HYBRID SOLAR SYSTEM PACKAGE (5500W)

Inverter, Battery & Panel

5.5KVA SOLAR HYBRID IPS ARC 5500-48P (Pro Model)

Solar Hybrid Inverter

Rated Power: 5500W
DC Input: 48VDC, 131A
AC Output: 230VAC, 50Hz, 24A, 1Φ
AC Input: 230VAC, 50Hz, 42.7A, 1Φ
DC Output: 54 VDC
Warranty: 18 months

Solar Panel

Quantity: 10 Pcs
Rated Maximum Power (Pmax): 450W x 10 Pcs
Max System Voltage: 1500V
Dimension (mm): 2094x1038x35 mm
Efficiency: 21.16%
Warranty: Output 20 years

Battery

Battery Model: ARC-12150, 4 pcs
Rated Capacity (25°C): 1hr, 95.6A, 1.60V/Cell
Cycle Use: Voltage 14.4V~15.0V at 25°C
Standby Use: Voltage 13.5V~13.8V at 25°C
Terminal: Silver Coated Copper, M8
Warranty: 12 months

Suitable for

Irrigation Pump, Fridge, Lighting, TV, Ceiling Fan, Decoder, DVD, Wi-Fi, Cellphone & Laptop Charging, Desktop.

Reliable Energy
Sustainable Future



Corporate Office:

5th Avenue, Block: I, Bashundhara R/A, Vatara, Dhaka-1229, Bangladesh
Tel: +8809606555555, Mob: +8801678860002
e-mail: digitech@waltonbd.com, www.waltondigitech.com

**WALTON
DIGITECH**
INDUSTRIES LIMITED

arc

SUSTAINABLE & AFFORDABLE
SOLAR ENERGY

A Smarter Way to Power Your Home
Office, School & Organizations



24/7
16267

11 in

17.25 in

HYBRID SOLAR SYSTEM PACKAGE (1200W)

Inverter, Battery & Panel

1.2KVA SOLAR HYBRID IPS ARC 1200-12B (Basic Model)

Solar Hybrid Inverter

Rated Power: 1200W
DC Input: 12VDC, 114.3A
AC Output: 230VAC, 50Hz, 5.2A, 1Φ
AC Input: 230VAC, 50Hz, 9.6A, 1Φ
DC Output: 13.5 VDC
Warranty: 18 months

Solar Panel

Quantity: 2 Pcs
Rated Maximum Power (Pmax): 210W x 2 Pcs
Max System Voltage: 1000V
Dimension (mm): 1560x700x35 mm
Efficiency: 20.87%
Warranty: Output 20 years

Battery

Battery Model: ARC-12120, 1 pcs
Rated Capacity (25°C): 1hr, 75.0A, 1.60V/Cell
Cycle Use: Voltage 14.4V~15.0V at 25°C
Standby Use: Voltage 13.5V~13.8V at 25°C
Terminal: Silver Coated Copper, M8
Warranty: 12 months

Suitable for

Lighting, TV, Ceiling Fan, Decoder, DVD, Wi-Fi, Cellphone & Laptop Charging.

1.2KVA SOLAR HYBRID IPS ARC 1200-12P (Pro Model)

Solar Hybrid Inverter

Rated Power: 1200W
DC Input: 12VDC, 114.3A
AC Output: 230VAC, 50Hz, 9.6A, 1Φ
AC Input: 230VAC, 50Hz, 5.2A, 1Φ
DC Output: 13.5 VDC
Warranty: 18 months

Solar Panel

Quantity: 3 Pcs
Rated Maximum Power (Pmax): 210W x 3 Pcs
Max System Voltage: 1000V
Dimension (mm): 1560x700x35 mm
Efficiency: 20.87%
Warranty: Output 20 years

Battery

Battery Model: ARC-12120, 1 pcs
Rated Capacity (25°C): 1hr, 75.0A, 1.60V/Cell
Cycle Use: Voltage 14.4V~15.0V at 25°C
Standby Use: Voltage 13.5V~13.8V at 25°C
Terminal: Silver Coated Copper, M8
Warranty: 12 months

Suitable for

Lighting, TV, Ceiling Fan, Decoder, DVD, Wi-Fi, Cellphone & Laptop Charging.

PURE SINE WAVE OUTPUT
OFF GRID SOLAR HYBRID INVERTER



HYBRID SOLAR SYSTEM PACKAGE (3200W)

Inverter, Battery & Panel

3KVA SOLAR HYBRID IPS ARC 3000-24B (Basic Model)

Solar Hybrid Inverter

Rated Power: 3200W
DC Input: 24VDC, 14.8A
AC Output: 230VAC, 50Hz, 13.9A, 1Φ
AC Input: 230VAC, 50Hz, 20.0A, 1Φ
DC Output: 27 VDC
Warranty: 18 months

Solar Panel

Quantity: 4 Pcs
Rated Maximum Power (Pmax): 210W x 4 Pcs
Max System Voltage: 1000V
Dimension (mm): 1560x700x35 mm
Efficiency: 20.87%
Warranty: output 20 years

Battery

Battery Model: ARC-12150, 2 pcs
Rated Capacity (25°C): 1hr, 95.6A, 1.60V/Cell
Cycle Use: Voltage 14.4V~15.0V at 25°C
Standby Use: Voltage 13.5V~13.8V at 25°C
Terminal: Silver Coated Copper, M8
Warranty: 12 months

Suitable for

Fridge, Lighting, TV, Ceiling Fan, Decoder, DVD, Wi-Fi, Cellphone & Laptop Charging.

3KVA SOLAR HYBRID IPS ARC 3000-24P (Pro Model)

Solar Hybrid Inverter

Rated Power: 3200W
DC Input: 24VDC, 14.8A
AC Output: 230VAC, 50Hz, 13.9A, 1Φ
AC Input: 230VAC, 50Hz, 20.0A, 1Φ
DC Output: 27 VDC
Warranty: 18 months

Solar Panel

Quantity: 8 Pcs
Rated Maximum Power (Pmax): 450W x 8 Pcs
Max System Voltage: 1500V
Dimension (mm): 2094x1038x35 mm
Efficiency: 21.16%
Warranty: Output 20 years

Battery

Battery Model: ARC-12150, 2 pcs
Rated Capacity (25°C): 1hr, 95.6A, 1.60V/Cell
Cycle Use: Voltage 14.4V~15.0V at 25°C
Standby Use: Voltage 13.5V~13.8V at 25°C
Terminal: Silver Coated Copper, M8
Warranty: 12 months

Suitable for

Pump, Fridge, Lighting, TV, Ceiling Fan, Decoder, DVD, Wi-Fi, Cellphone & Laptop Charging, Desktop.

RENEWABLE
REVOLUTION
MONO SOLAR PANEL




arc


HYBRID SOLAR SYSTEM

A hybrid system is a combination of solar, battery storage, and the grid within the same equipment. This system is also connected to the utility grid. In this setup, once the battery is fully charged, excess solar power can be exported to the load. If the solar and battery systems fail to supply sufficient power, the system adds power from the grid to provide uninterrupted electricity.

In this system, solar energy first charges the battery via a hybrid inverter. Once the battery is fully charged, any surplus electricity is used to power appliances directly, reducing the need to draw power from the main grid. This maximizes solar efficiency and helps lower electricity bills by increasing reliance on solar energy.

Different types of user-friendly programs can be set according to specific requirements.





PRODUCTS

Single Layer to 4 layer. Including FR4, XPC, CEM-1, Aluminum base material with OSP, HASL and ENIG surface finishing.



PRODUCTION

5000 sqm per month .
European Machines
150 machines of different categories..





TESTING

We have state of the testing facility for individual product line including Automated Optical Inspection (AOI), Flying Probe Tester, Universal Grid Tester machine

PCB

Our PCB (Printed Circuit Board) Manufacturing Plan outlines the processes and methodologies required for the efficient production of high-quality printed circuit boards. As a critical component in modern electronics, PCBs serve as the backbone for various applications, from consumer gadgets to complex industrial systems. Our plan encompasses design specifications, material selection, fabrication techniques, quality control measures, and environmental considerations. By following this comprehensive approach, we aim to enhance production efficiency, ensure product reliability, and meet market demands while adhering to industry standards.





PRODUCTION

Total 5 SMT Line and 2 DIP Line
placement capacity 2,10,000 CPH(
Component per Hour) including smallest
package 0201



PRODUCTS

Partner with us for end-to-end PCBA solutions. From design and prototyping to manufacturing and assembly, our comprehensive services streamline your product development process. Trust our expertise to bring your vision to life.



TESTING

We have state of the testing facility for individual product line including FCT, ICT, Aging etc.

PCBA

With state-of-the-art manufacturing facilities and a team of skilled professionals, Walton PCBA produces a wide range of high-quality PCBAs for various applications, including consumer electronics, industrial automation, telecommunications, and medical devices. Their PCBAs are manufactured to meet the stringent requirements of both domestic and international markets.



ICT Test Machine



FCT Test Machine



3D AOI Test Machine



X-Ray Test Machine